# Sustainability data sheet

# ARDEX AF 900 Fixation for self-laying tiles

Strong adhesion, quick drying, very low-emission and very economical to use.

-

### Emissions

According GEV (Gemeinschaft Emissionskontrollierte Verlegewerkstoffe, Klebstoffe und Bauprodukte e.V., Düsseldorf) EMICODE® EC 1<sup>PLUS</sup>, very low emission

According Emission Classification of Building Materials

solvent-free

**EPD** (Environmental Product Declaration)

ARDEX AF 900 corresponds to FEICA EPD:

EPD-FEI-20160084-IBG1-EN

# **Technical Assessment**

According GISBAU (TRGS 610, Technische Regeln für Gefahrstoffe):

GISCODE D1 - solvent-free

ARDEX GmbH Friedrich-Ebert-Straße 45 58453 Witten www.ardex.de

Tel.: +49 2302 664-511 Fax: +49 2302 664-298 kundendienst@ardex.de www.ardex.de



# ARDEX AF 900

Fixation for self-laying tiles

# Sustainable Building

## According DGNB (Deutsche Gesellschaft für Nachhaltiges Bauen)

### Version 2018

DGNB criteria ENV 1.2: Local environmental impact

ARDEX AF 900 can be classified as primers, primer coatings, putties and adhesives under wall and floor coverings (eg. Tiles, carpets, wooden floors, resilient flooring – except wallpaper).

ARDEX AF 900 has the GISCODE D1 and is certified by EMICODE® EC 1<sup>PLUS</sup>, very low emission, based on GEV and by The Blue Angel according RAL-UZ 113.

ARDEX AF 900 fulfills the requirements for highest Quality Level 4.

## Version 2015

**DGNB criteria ENV 1.2: Local environmental impact** ARDEX AF 900 can be classified as primers, primer coatings, putties and adhesives under wall and floor coverings (eg. Tiles, carpets, wooden floors, resilient flooring – except wallpaper).

ARDEX AF 900 is certified by EMICODE® EC 1<sup>PLUS</sup>, very low emission, based on GEV.

# ARDEX AF 900 fulfills the requirements for highest Quality Level 4.

## According LEED (Leadership in Energy and Environmental Design)

#### Version 4 (2014)

**EQ: Low Emitting Materials** 

ARDEX AF 900 meets the requirements according EMICODE® EC 1<sup>PLUS</sup>, very low emission, based on GEV which are accepted by LEED.

# ARDEX AF 900 meets the requirements and contributes to achieving one LEED point under EQ: Low Emitting Materials.

# MR: Building Product Disclosure and Optimization – Environmental Product Declaration

ARDEX AF 900 corresponds to a model EPD by FEICA, which provides the evidence of a life cycle assessment (LCA) "cradle to gate".

ARDEX AF 900 fulfills the requirements and contributes to achieving a LEED point under MR: Building Product Disclosure and Optimization – Environmental Product Declaration.

## Version 2009

IEQ Credit 4.1: Low Emitting Materials: Adhesives and Sealants

The permitted limit value in the category adhesives and sealants according SCAQMD Rule 1168 is 65 g/L. The VOC value of ARDEX AF 900 according SCAQMD Rule 1168 is < 65 g/L.

ARDEX AF 900 meets the requirements and contributes to achieving one LEED point under IEQ: Low Emitting Materials.

#### MR Credit 5.1 und 5.2: Regional Materials Production site: 58453

Distance Production site – Project site < 800 km

Products that are used regionally within a 500 mile (800 kilometer) can be contributed to achieving one LEED point.

ARDEX GmbH Friedrich-Ebert-Straße 45 58453 Witten www.ardex.de

Tel.: +49 2302 664-511 Fax: +49 2302 664-298 kundendienst@ardex.de www.ardex.de



# ARDEX AF 900 Fixation for self-laying tiles

# Sustainable Building

**According BREEAM-NOR** (Building Research Establishment Environmental Assessment Methodology)

## Version 2016

#### BREEAM criteria Hea 02 Indoor air quality

ARDEX AF 900 can be classified as Flooring Adhesives.

ARDEX AF 900 is certified by EMICODE® EC 1<sup>PLUS</sup>, very low emission, based on GEV.

ARDEX AF 900 meets the requirements according BREEAM-NOR and contributes to achieving one credit under Hea 02 Indoor air quality.

According BREEAM (Building Research Establishment Environmental Assessment Methodology)

## Version 2016

BREEAM criteria Hea 02 Indoor air quality

ARDEX AF 900 can be classified as Interior adhesives and sealants (including flooring adhesives). ARDEX AF 900 meets the requirements according Table 17: Emission criteria by product type and Table 18: Exemplary level emission criteria by product type.

ARDEX AF 900 is certified by EMICODE<sup>®</sup> EC 1<sup>PLUS</sup>, very low emission, based on GEV.

ARDEX AF 900 meets the requirements according BREEAM and contributes to achieving one credit under Hea 02 Indoor air quality.

**Notice:** This data sheet has been compiled based on state-of-the-art technology and our experience. In spite of diligent treatment of all information ARDEX GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of building certification criteria can differ and depend on the project and scope of application. The content of these data sheet does not manifest any legal relationship.

Additionally, the current information given in the Technical and the Material Safety Data Sheet have to be considered.

ARDEX GmbH Witten, 07/01/2019

> ARDEX GmbH Friedrich-Ebert-Straße 45 58453 Witten www.ardex.de

Tel.: +49 2302 664-511 Fax: +49 2302 664-298 kundendienst@ardex.de www.ardex.de

